HEALTH CARE CATALOG

DETECTO®

Bulletin No. C-188C

Mechanical Physician Scales
4

ProDoc™ Digital Scales/Height Rod
6

758C Weight Indicator/WinDDE
8

ProMed™ Digital Physician Scales
9

750 Digital Weight Indicator
10

Digital Physician Scales
11

Digital Bariatric Scales
12

Chair Scales
14

Wheelchair Scales
15

In-Floor Scales
19

Digital Baby Scales
20

Mechanical Baby Scales
22

Baby Scales/Lap Sponge Scales
23

Hanging Scales
24

Weighmobile In-Bed Scales
25

Portable Floor Scales
26

Dynamometers/Box Holders
27

Waste Receptacles
28

Step-On Cans
29

Mechanical Dietary Scales
30

Digital Dietary Scales
31

Veterinary Scales
32

Laundry Scales
33

EU-Only Scales
34

Index
35

DETECTO®

DETECTO®
A Division of Cardinal Scale Manufacturing Co.

REGISTERED ISO 9001:2000

CORPORATE HEADQUARTER CONTACTS:

203 East Daugherty Street, Webb City, MO 64870 USA
Fax: (417) 673-5001
Web Site: www.Detecto.com

Customer Service *8 am - 5 pm CST Mon. - Fri.*
(800) 641-2008 or (417) 673-4631
detecto@cardet.com

Technical Support *8 am - 5 pm CST Mon. - Fri.*
(866) 254-8261
tech@cardet.com

Parts Department *8 am - 5 pm CST Mon. - Fri.*
(800) 641-2045
parts@cardet.com

Quality Assurance *8 am - 5 pm CST Mon. - Fri.*
(417) 673-4631
qa@cardet.com

INTERNATIONAL CONTACTS:

European Warehouse
Unit 17/18 Mercers Road
Chapel Pond Hill
Bury St. Edmunds, Suffolk, IP32 7HX
Phone: 44-1284-703117 Fax: 44-1284-703559
E-mail: sales@detectoscale.co.uk

Canadian Warehouse
1815 Ironstone Manor
Unit 14A
Pickering, Ontario L1W 3W9
Phone: (905) 839-6239 Fax: (905) 839-6522
E-mail: canada@cardet.com

REQUIRES ASSEMBLY

Products bearing this symbol require some assembly and setup that is not included in purchase price. Contact your local DETECTO scale technician for this service.

NATIONAL CONFERENCE ON WEIGHTS AND MEASURES · NTEP · LEGAL FOR TRADE

Products bearing this symbol are manufactured in compliance with recommendations set forth in Handbook 44, issued by the National Institute of Standards and Technology and have been issued a Certificate of Conformance under the National Type Evaluation Program.

3
EU CLASS APPROVED AVAILABLE

This symbol indicates that the device has been evaluated and found to conform with the requirements for OIML R76 Class 3 (or Class 4 if specified). Model numbers for EU-Only Scales and their capacities and increments will differ from their general referenced product's information and may recquire the 758CSV indicator for conformity.

DETECTO® is the largest independent scale manufacturer in the United States, providing over 108 years of experience in design, sales, and service support. In 2002, DETECTO adopted the motto, ***"Building a Better Weigh."*** These words truly represent our comprehensive line of medical products covering all facets of patient and physician applications. DETECTO represents a product name designed to meet your needs and one that will be supported for years to come.

DETECTO's model 439 mechanical physician scale series is the standard of the clinical weighing industry. This product continues to be the one most requested in the medical industry. In 2008, DETECTO introduced new digital weighing and height measuring devices with a professional doctor series of scales, better known as the ProDoc™ series. A complete product line of physician-grade scales with enhanced digital height and automatic BMI calculations, the ProDoc™ was designed for the home as well as for medical and hospital weighing applications. The ProDoc™ series joins DETECTO's complete range of digital scales, which include numerous features today's medical industry requires.

Whether you require scales for personal use, rehabilitation, pediatrics, wheelchairs, or special bariatric patient needs, DETECTO has the solution. In addition to personal and physician scales, Detecto offers a wide range of products, including step-on waste receptacles, glove dispensers, veterinary scales, dynamometers, dietary scales, and laundry scales.

This comprehensive catalog is designed for you to make the best decision for your specific needs. Our motto says it all: DETECTO takes great pride in "Building a Better Weigh" for our customers today.



Model PD300DHR ProDoc™

(pictured left to right) Vice-President of Operations Larry Hicks, President David Perry, and Vice-President of Sales & Marketing Fred Cox

DETECTO®

MECHANICAL PHYSICIAN SCALES

400 LB / 180 KG CAPACITY

Detecto Offers You More Weighing Ability For Your Money



Choose From

19 MODELS With A VARIETY OF FEATURES

Model 437

WEIGH BEAM
Dual reading, die-cast beam.

HEIGHT ROD
Reads in both inches and centimeters.

HANDPOST
An important aid for the elderly or weak individual.

Model 448

WHEELS
For easy transport.

PLATFORM COVER
Easily removed for cleaning.

Eye-Level Physician Scales

MODEL	CAPACITY Avoirdupois	CAPACITY Metric	HEIGHT ROD 30 - 78 in 76 - 198 cm	WHEELS	HANDPOST	SHIPPING WEIGHT	UPC
439	400 lb x 4 oz		•			38 lb/17.2 kg	809161133103
2391		180 kg x 100 g	•			37 lb/16.7 kg	809161133202
437	400 lb x 4 oz					35 lb/15.8 kg	809161133301
2371		180 kg x 100 g				35 lb/15.8 kg	809161133400
438	400 lb x 4 oz		•	•		39 lb/17.6 kg	809161133509
2381		180 kg x 100 g	•	•		39 lb/17.6 kg	809161133608
448	400 lb x 4 oz		•	•	•	43 lb/19.5 kg	809161133707
449	400 lb x 4 oz		•		•	43 lb/19.5 kg	809161133806
2491		180 kg x 100 g	•		•	43 lb/19.5 kg	809161133905
339	400 lb x 4 oz	175 kg x 100 g	•			35 lb/15.8 kg	809161134001
337	400 lb x 4 oz	175 kg x 100 g				35 lb/15.8 kg	809161134100
338	400 lb x 4 oz	175 kg x 100 g	•	•		39 lb/17.6 kg	809161134209
349	400 lb x 4 oz	175 kg x 100 g	•		•	43 lb/19.5 kg	809161134308

Platform Size: 10.5"W x 14.5"D/27 cm W x 37 cm D
Scale Height: 59"/150 cm

REQUIRES ASSEMBLY

Stainless Steel Mechanical Eye-Level Health Care Scales

Enjoy the classic elegance of beautiful stainless steel in your Detecto mechanical weighbeam scale. A platform cover that lifts off easily combined with the protective stainless steel casing makes cleanup a breeze. Water damage from mopping and high humidity areas around swimming pools is a thing of the past.

MODEL	CAPACITY Avoirdupois	CAPACITY Metric	HEIGHT ROD 30 - 78 in 76 - 198 cm	SHIPPING WEIGHT	UPC
439S	400 lb x 4 oz		•	38 lb/17.2 kg	809161132304
2391S		180 kg x 100 g	•	37 lb/16.7 kg	809161132403
437S	400 lb x 4 oz			35 lb/15.8 kg	809161132502
2371S		180 kg x 100 g		35 lb/15.8 kg	809161132601
339S	400 lb x 4 oz	175 kg x 100 g	•	38 lb/17.2 kg	809161132700
337S	400 lb x 4 oz	175 kg x 100 g		35 lb/15.8 kg	809161132809

ACCESSORY	MODEL	DESCRIPTION	UPC
Height Rods	3PHTROD-1	Physician scales only.	809161134407
	4PHTROD-3	For waist-high digital scales models 6029 and 6029KG.	809161134704
	3PHTROD-WM	Wall-mount height rod.	809161134803
Wheels	3PWHL	Wheels for scale portability. For use with all eye-level physician scales and models 8430 and 8437.	809161134902
Handpost	3PHNDPST	For replacement use on physician scales only.	809161135008

Cert. No. 91-162

Certifier Scale

This special purpose eye-level beam scale with dual wheels and non-slip gray mat is "Legal for Trade," which makes it ideal for those who require a scale that is certified by weights and measures officials. A must for weight loss clinics and school wrestling teams! Optional height rod and handpost models are available.

MODEL	CAPACITY	DESCRIPTION	UPC
442	350 lb x 4 oz / 160 kg x 100 kg	Certifier scale with high accuracy	809161135107

Platform Size: 13.75"W x 18.5"D/35 cm W x 47 cm D **Shipping Weight:** 68 lb/31 kg

REQUIRES ASSEMBLY

PRODOC™ DIGITAL DOCTOR SCALES

These professional doctor scales are designed to meet the accuracy you depend on. The models PD100 and PD200 provide BMI (Body Mass Index) by conveniently selecting your height with easy-to-use scroll keys.

The ProDoc™ series heavy-duty scales can weigh up to 480 lb/220 kg while providing you with the accuracy you require with 0.2 lb/0.1 kg increments. The LCD display provides easy-to-view 1-inch-high (25 mm) readouts.

DETECTO

PD100

Low-Profile Physician Scale with Remote Display

- Wall/desk mounting bracket for offices and exam rooms.
- Portable with optional carrying case for visiting nurses.
- Position weight display up to 87"/220 cm from scale.

Optional PRODOC-CASE for PD100

PD100

PD100 and PD200 arrive fully assembled.

PD200

The ProDoc's™ single-piece, forged-steel base creates stability and ensures solid patient support.

All ProDocs™ feature adjustable locking feet and bubble level for accurate weighing every time!

DETECTO

PD200

Space-Saving Physician Scale

- Exam rooms - offices - medical use.
- Home use: includes four patient/family member weight memory recalls.
- Raised weight display for convenient viewing while standing on the scale.

MODEL	CAPACITY / MEASUREMENT	DESCRIPTION	SHIPPING WEIGHT	UPC
PD100	480 lb x 0.2 lb / 220 kg x 0.1 kg	Low-profile scale with remote display	26 lb / 12 kg	809161146905
PD200	Same	Compact design scale	28 lb / 12.5 kg	809161147001
PD300	Same	Convenience height scale	33 lb / 15 kg	809161147100
PD300DHR	Same	Convenience height scale - digital height rod	40 lb / 18 kg	809161147209
PD300MHR	Same	Convenience height scale - manual height rod	40 lb / 18 kg	809161147308
DHR	43"/110 cm - 79"/200 cm	Optional digital height rod for PD300	7 lb / 3 kg	809161147506
MHR	30"/76 cm - 78"/198 cm	Optional manual height rod for PD300	7 lb / 3 kg	809161147605
DHRWM	43"/110 cm - 79"/200 cm	Standalone wall-mount digital height rod	8 lb / 3.7 kg	809161147407

Platform Size: 3.33"H x 12.5"W x 13"D / 8 cm H x 32 cm W x 33 cm D
Power: 6 "AA" Alkaline batteries (not included) or optional 9V AC/DC power adapter (not included) - DHRWM, battery power only

DETECTO

PD300

Comfort-Height Digital Physician Scale

- 48" high, comfort-height display for easy viewing of measurements.
- Adjustable feet for any floor surface.
- Built-in wheels for fast transport.
- Heavy-duty scale base

Multiple Configurations to Fit Your Application!

Detecto's ProDoc™ features selectable Sleep Mode (up to 9 minutes) and selectable Auto Shut-off (up to 9 minutes) plus Memory Function which stores and recalls up to 4 patient weights.

Detecto's model PD300DHR features digital weight and height measurement for accurate calculation of Body Mass Index. Detecto's time-saving digital height rod displays patient height quickly on the weight display. Simply step on the scale and touch one key to see your weight and one key to automatically calculate BMI.

When you require height measurements fast!

Model DHRWM Standalone Wall-Mount Digital Height Rods

Detecto's exclusive digital height technology. Receive height readings quickly, accurately, and comfortably.

Automatic height viewing on the remote display, positioned where you need it with Detecto's wall-mount or desktop bracket.

- Fast, accurate 1"/25 mm high digital height LCD readouts.
- Modern, clean design.
- Display can easily be mounted on wall or desk.
- Measures 43"/110 cm - 79"/200 cm.
- Powered by 6 "AA" Alkaline batteries (not included).
- 69"/175 cm cable length from display to height rod.

758C DIGITAL WEIGHT INDICATOR / WINDDE

SERIAL CONNECTIVITY PROVIDES:

OUTPUT TO PRINTER
Print weight, BMI, time, date, and height

SEND DATA TO PC
Excellent for efficient electronic medical record keeping

Select a P220 Thermal Printer (above) or P185 Ticket Printer (right) for printing weight data from the 758C indicator.

LEGAL FOR TRADE

Meets performance specifications and is a higher grade digital indicator than the competition.

Cert. No. 06-104

The **MODEL 758C DISPLAY** is the most versatile clinical scale weight display available, with usage ranging from wheelchair-based applications to electronic medical records updating. A full numeric keypad allows fast entry of wheelchair weight. For those applications requiring weight, height and BMI percentages simultaneously, the 758C is the right choice. The legal-for-trade 758C also includes an EMR-ready RS-232 connection to a PC or printer standard. Detecto offers custom programming to connect the 758C with your EMR software package (consult factory).

Detecto's P150 battery-operated tape printer mounts to the back of the 758C for efficient record keeping printouts.

- 0.5 inch high graphic display for viewing weight, height and BMI percentage calculations simultaneously.
- 11-digit patient ID entry for BMI tracking.
- Lock/Release key for viewing weight after the patient steps from the scale.
- Steel construction for years of service.
- Made in USA for factory support.

BATTERY POWER

The 758C is battery powered for use with portable scales, so you can take the scale to the patient. An optional AC adapter is also available.

WinDDE



DYNAMIC DATA EXCHANGE

YOUR WEIGHT IN WINDOWS®

Easily put YOUR WEIGHT IN WINDOWS® with Detecto's WinDDE 2.0 Server and Detecto's 758C. Communicate with up to 20 weight indicators connected to a computer via standard serial port or optional Ethernet (using TCP/IP). WinDDE allows the weight and status of the indicators to be transferred directly into databases and spreadsheets, such as Microsoft Access® and Excel®.

MODEL	DESCRIPTION	UPC
WinDDE	Weight capture to PC software	809161135800

WIRED AND WIRELESS CONNECTIVITY SOLUTIONS

With Detecto's 758C display you can transmit ASCII weight data to a printer, PC, or Local Area Network via a serial cable connection, optional TCP/IP module, or by optional wireless transmission.

Eye-Level Digital Physician Scales

ProMed

This scale features eye-level "at-a-glance" convenience of a battery-powered 0.5"/12.7 mm high-contrast LCD display. With the push of a button, readings appear in pounds OR kilograms and the weight display also calculates Body Mass Index. The platform cover is easily removed for cleaning. Handpost and height rod combinations are also available.

Model 6437

MODEL	CAPACITY	DESCRIPTION	UPC
6437	400 lb x 0.2 lb / 180 kg x 0.1 kg	No Height Rod	809161135909
6439	Same	With Height Rod	809161136005
6449	Same	With Handpost and Height Rod	809161136104
6800-1045		AC Adapter	809161136203

Platform Size: 10.5"W x 14.5"D/27 cm W x 37 cm D
Scale Height: 59"/150 cm
Model 6439 Height Rod: 30" - 78" and 76 cm - 198 cm
Shipping Weight: 6437 - 35 lb/16 kg 6439 - 38 lb/17 kg

EMR-READY

758C *Please see page 8 for additional weight display features.*

Model 6439

Waist-High Digital Physician Scales

ProMed

Model 8430

MODEL	CAPACITY	DESCRIPTION	UPC
8437	400 lb x 0.2 lb / 180 kg x 0.1 kg	No Height Rod	809161136302
8437S	Same	No Height Rod Stainless Steel	809161133004
8430	Same	With Height Rod	809161136401
8430S	Same	With Height Rod Stainless Steel	809161132908
6800-1045		AC Adapter	809161136203

Platform Size: 10.5"W x 14.5"D/27 cm W x 37 cm D
Scale Height: 37.5"/95 cm
Model 8430/8430S Height Rod: 30" - 78" and 76 cm - 198 cm
Shipping Weight: 8437/8437S - 31 lb/14 kg 8430/8430S - 34 lb/15.4 kg

EMR-READY

758C *Please see page 8 for additional weight display features.*

Model 8437S

HEALTH CARE STAINLESS STEEL SCALES

Digital General Purpose Scales

ProMed

Uses for these lightweight, portable scales are almost limitless. With detachable indicators and built-in carrying handles, they go with you anywhere weighing is needed. Their large, easy-to-clean platforms (2" H x 18" W x 14" D/6 cm H x 46 cm W x 36 cm D) feature a black slip-proof mat, leveling eye, and non-skid plastic feet for stability.

MODEL	CAPACITY	SHIPPING WEIGHT	UPC
GP-400-758C	400 lb x 0.2 lb / 200 kg x 0.1 kg	31 lb / 14 kg	809161136500
6800-1045	AC Adapter	1 lb / 453 g	809161136203

EMR-READY

3 EU CLASS APPROVED AVAILABLE

Cert. No.
758C Display: 06-104
GP-400 Base: 94-098

NTEP LEGAL FOR TRADE

758C *Please see page 8 for additional weight display features.*

750 DIGITAL WEIGHT INDICATOR

Simply push the Body Mass Index key and utilize the toggle arrows to adjust patient height for BMI calculation while weighing.

- Extra-large, 0.75 inch high easy-to-read LCD display.
- Engineered for freedom of patient weighing.
- Compact design is ergonomic and easy for the patient to weigh.
- Use either 6 "AA" rechargeable batteries or the optional AC adapter.
- Lock/Release key for viewing weight after the patient steps away from the scale.
- Units conversion for LB or KG.
- Heavy steel construction for years of service.
- Made in USA for convenient parts and service requirements.

The **MODEL 750 DISPLAY** features an easy-to-use keypad and extra-large display perfect for patient self-weighing and viewing by the attending nurse or physician. A quick and simple BMI calculator with a scroll feature to input height allows you the ease of BMI calculation when you require it. The durable design and easy-to-replace "AA" batteries makes the 750 perfect for all scales in clinics, hospitals, and physician offices. The 750 even recharges rechargeable "AA" batteries during usage.

The 750 is powered by either 6 "AA" rechargeable batteries or the optional AC adapter .

It's easy to remove from the scale column for battery replacement by pulling the locking pin.

Waist-High Digital Physician Scales

Model 6027

Contemporary styling and light yet rugged construction are key features of this 400 lb capacity scale. The slip-resistant base has a removable cover.

MODEL	CAPACITY	DESCRIPTION	UPC
6027	400 lb x 0.5 lb / 180 kg x 0.2 kg	No Height Rod	809161136609
6029	Same	With Height Rod	809161136708
6027KG	180 kg x 0.2 kg	No Height Rod	809161136807
6029KG	Same	With Height Rod	809161136906
6800-1045		AC Adapter	809161136203

Platform Size: 11"W x 13"D/28 cm W x 33 cm D
Scale Height: 38"/97 cm
Model 6029 and 6029KG Height Rod: 30" - 78" and 76 cm - 198 cm
Shipping Weight: 6027(KG) - 25 lb/11 kg 6029(KG) - 28 lb/13 kg

750 *Please see page 10 for additional weight display features.*

Model 6029

Digital General Purpose Scales

Uses for these lightweight, portable scales are almost limitless. With detachable indicators and built-in carrying handles, they go with you anywhere weighing is needed. Their large, easy-to-clean platforms (2" H x 18" W x 14" D/6 cm H x 46 cm W x 36 cm D) feature a black slip-proof mat, leveling eye, and non-skid plastic feet for stability. The digital displays both feature Body Mass Index calculation and may be mounted on a table top or wall. Operation is provided by battery power which increases the portability of these compact scales. For legal-for-trade usage, choose the GP-400-758C (page 9).

The perfect scale for those who need a lightweight, portable floor scale.

3 EU CLASS APPROVED AVAILABLE

MODEL	CAPACITY	SHIPPING WEIGHT	UPC
GP-400-750	400 lb x 0.2 lb / 200 kg x 0.1 kg	31 lb / 14 kg	809161137002
6800-1045	AC Adapter	1 lb / 453 g	809161136203

750 *Please see page 10 for additional weight display features.*

Optional black carrying case with handle protects the scale for easy transport.

Low-Profile Portable Physician Floor Scale

Lightweight and portable, making it perfect for mobile clinics, home care nurses, or wherever a portable scale with Body Mass Index is needed. The DR400-750 is battery powered and features a slip-resistant, textured mat to ensure patient safety when getting on and off the scale.

MODEL	CAPACITY	SHIPPING WEIGHT	UPC
DR400-750	400 lb x 0.2 lb / 180 kg x 0.1 kg	31 lb / 14 kg	809161137101
DR400C-CASE	Carrying Case	1 lb / 453 g	809161137200
6800-1045	AC Adapter	1 lb / 453 g	809161136203

Platform Size: 2.25"H x12"W x 12"D/6 cm H 31 cm W x 31 cm D

750 *Please see page 10 for additional weight display features.*

DIGITAL BARIATRIC SCALES

6800 Low-Profile Bariatric Scale

Ideal for any clinical application, this scale is low profile for patient comfort when stepping on and off the scale. With a built-in carrying handle, the 6800 is easy to transport from office to office when required. Utilizing Detecto's model 750 weight display and a universal bracket, the indicator may be mounted on a wall or desk for easy viewing. Powered by "AA" batteries, this scale is truly portable when power outlets are not accessible. 10 foot cable.

MODEL	CAPACITY	SHIP WEIGHT	UPC
6800	800 lb x 0.2 lb / 360 kg x 0.1 kg	45 lb / 20 kg	809161137309
6800-1045	AC adapter	1 lb / 453 g	809161136203

Platform Size: 24"W x 24"D/61 cm x 61 cm

750 *Please see page 10 for additional weight display features.*

3 EU CLASS APPROVED AVAILABLE

6856 Waist-High Bariatric Scale

The 6856 features a larger platform and higher capacity than the 6855. Its balanced design is easy to tip back and transport on its 3" diameter, heavy-duty rubber wheels. The stainless steel handrails feature padded grips for patient assurance and stability. The 6856 is engineered specifically for weighing obese and unsteady patients and features a low-profile platform with non-skid surface and highly accurate weight display with Body Mass Index.

MODEL	CAPACITY	SHIP WEIGHT	UPC
6856	800 lb x 0.2 lb / 360 kg x 0.1 kg	85 lb / 39 kg	809161137408
6800-1045	AC adapter	1 lb / 453 g	809161136203

Platform Size: 24"W x 24"D/61 cm x 61 cm

750 *Please see page 10 for additional weight display features.*

3 EU CLASS APPROVED AVAILABLE

6855 Waist-High Bariatric Scale

The 6855 features a balanced design that is easy to tip back and transport on its hard, heavy-duty rubber wheels. It features a slightly smaller platform and lower capacity than the 6856. The digital indicator's LOCK/RELEASE key retains weight so you can attend to the patient first, then record the weight. Powered by your choice of either batteries or optional AC adapter, the 6855 also has an auto-off function to conserve energy

MODEL	CAPACITY	SHIP WEIGHT	UPC
6855	600 lb x 0.2 lb / 270 kg x 0.1 kg	70 lb /32 kg	809161137507
6800-1045	AC adapter	1 lb / 453 g	809161136203
3PHTROD-WM	Height Rod	6 lb / 2.7 kg	809161137606

Platform Size: 18"W x 14"D/46 cm x 26 cm

750 *Please see page 10 for additional weight display features.*

3 EU CLASS APPROVED AVAILABLE

Bariatric Flip Seat Chair Scale

The light and portable 6876 features Body Mass Index, battery or AC power, concealed wheels for quick mobility, padded retractable armrests, and a 24" x 24" (61cm x 61cm) square non-slip rubber mat platform. This scale is a hybrid standing/sitting scale. The seat flips up and down easily to allow weighing in a standing or sitting position depending on the comfort of the patient. It's equipped with retractable, padded armrests for ease in transferring patients to the chair scale and to accomodate patients with casts. The flip-up armrests double as handgrips for stability when weighing in a standing position. The modern design is streamlined and narrow enough to fit easily through most doorways. The 6876 features safety stops to prevent accidental tipping.

MODEL	CAPACITY	UPC
6876	600 lb x 0.2 lb / 270 kg x 0.1 kg	809161137705
6800-1045	AC Adapter	809161136203

Platform Size: 24"W x 24"D/61 cm x 61 cm
Shipping Weight: 146 lb/66 kg

3 EU CLASS APPROVED AVAILABLE

750

Please see page 10 for additional weight display features.

Seat flips up and down to allow weighing in a standing or sitting position.

Bariatric Flip Seat Chair Scale

The 6868's unique design features a flip-up seat for weighing in a standing or sitting position. The durable steel frame adds assurance to the weighing of obese patients and those requiring special assistance. When finished with the seat, simply raise it up for those who prefer standing during weighing.

MODEL	CAPACITY	UPC
6868	800 lb x 0.2 lb / 360 kg x 0.1 kg	809161137804
6800-1045	AC Adapter	809161136203

Platform Size: 32"W x 34"D/81 cm W x 86 cm D
Shipping Weight: 147 lb/67 kg

3 EU CLASS APPROVED AVAILABLE

750

Please see page 10 for additional weight display features.

Features a unique flip-up seat. When finished, simply raise it up for those who prefer standing during weighing.

The 6868 tips back for easy transport. The large wheels and handrail make it easy to move from place to place.

Seat flips up and down.

The 6868's sturdy stainless steel handrails with padded foam hand grips, non-skid rubber mat, and extra-wide platform add comfort to the weighing of obese and unsteady patients. The compact design permits the scales to fit through doors and into patient's rooms for easy weighing (6868 requires door opening greater than 32").

CHAIR SCALES

Mechanical Chair Scale

Developed to ensure patient safety and comfort as well as to reduce weighing time, Detecto mechanical chair scales are conveniently portable and offer easy side or front access for your frail, handicapped, or elderly patients. The arms raise easily on both models, so the patient can be conveniently assisted into and out of the chair scale. Die-cast, easy-to-read beams are readable from the front and back.

MODEL	CAPACITY	UPC
475	400 lb x 4 oz	809161137903
4751	400 lb x 4 oz / 175 kg x 100 g	809161138009

Seat Size: 17.5"H x 17.5"W/44 cm H x 44 cm W
Shipping Weight: 78 lb/35 kg

Digital Chair Scale

Detecto simplifies the task of weight checks for frail, handicapped, and elderly patients with a selection of innovatively-designed chair scales, such as the 6475.

These digital chair scales feature waist-high LCD displays allowing weighing with accuracy to 0.2 lb or 0.1 kilogram. Battery power and oversized wheels enhance their portability.

MODEL	CAPACITY	UPC
6475	400 lb x 0.2 lb / 180 kg x 0.1 kg	809161138207
6475K	180 kg x 0.1 kg	809161138306
6800-1045	AC Adapter	809161136203

Seat Size: 17.5"H x 17.5"W/44 cm H x 44 cm W
Shipping Weight: 78 lb/35 kg

750 *Please see page 10 for additional weight display features.*

Premier Digital Chair Scale

Concealed wheels and flip-up footrest and arms. The display can be rotated to virtually any angle for easy viewing by the attendant.

Ergonomics dictated this stylish, battery-powered chair scale's contemporary design. The footrests fold away to promote patient security when getting into or out of the scale.

MODEL	CAPACITY	UPC
6875	400 lb x 0.2 lb / 180 kg x 0.1 kg	809161138108
6800-1045	AC Adapter	809161136203

Dimensions: 41.75"H x 29.375"W x 24"L/ 106 cm H x 75 cm W x 61 cm L
Shipping Weight: 70 lb/32 kg

3 EU CLASS APPROVED AVAILABLE

750 *Please see page 10 for additional weight display features.*

Rolling Chair Scale

Zero turning radius wheels.

This lightweight rolling chair scale features a flip-up footrest and lift-away armrests. Safety stops on the rear wheels allow for parking in one place without rolling. The 6880 features one load cell and 3" diameter oversized wheels.

MODEL	CAPACITY	UPC
6880	440 lb x 0.2 lb / 200 kg x 0.1 kg	809161138405
6800-1045	AC Adapter	809161136203

Seat Size: 17.5"H x 17.5"W/44 cm H x 44 cm W
Shipping Weight: 61 lb/28 kg

3 EU CLASS APPROVED AVAILABLE

750 *Please see page 10 for additional weight display features.*

Mechanical Stationary Wheelchair Scales

This heavy-duty stationary wheelchair scale features a detachable ramp designed for a smooth approach and exit. The platform is designed to accomodate all sizes of wheelchairs. The 495 features a padded handrail for ambulatory patients and a non-skid mat. It features Detecto's famous die-cast, dual-sided, eye-level weighbeam graduated in 4 ounce or 100 gram increments. The weigh beam is located at a height above the platform where the patient or attendant can perform the weighing operation. Customers specializing in the care of non-ambulatory patients provided information which was transferred into features and benefits of these scales, evident the first time you use the scale!

MODEL	CAPACITY	SHIPPING WEIGHT	UPC
495	400 lb x 4 oz /	194 lb / 88 kg	809161138504
4951	180 kg x 100 g	Same	809161138603

Platform Size: 30"W x 26"D/76 cm W x 66 cm D

Digital Stationary Wheelchair Scale

With the model 6495 heavy-duty digital wheelchair scale, you get speed and increased accuracy that only electronic weighing can provide. Weigh in pounds or kilograms at the press of a button. The EMR-ready weight display is mounted on a tilt mount which permits the indicator to be angled for easy viewing. A keypad for entry of known weights of empty wheelchairs is also provided, thus giving the exact weight of the patient accurately and instantly in large 0.5"/13 mm digits. The platform is designed to accomodate all sizes of wheelchairs and the 6495 also features a detachable ramp.

MODEL	CAPACITY	SHIPPING WEIGHT	UPC
6495	400 lb x 0.2 lb / 180 kg x 0.1 kg	177 lb / 80 kg	809161138702
6800-1045	AC adapter	1 lb / 453 g	809161136203

Platform Size: 30"W x 26"D/76 cm W x 66 cm D

758C *Please see page 8 for additional weight display features.*



Mechanical Stationary Wheelchair Scales

Built for use with any standard-size wheelchair, these scales offer the utmost in comfort for wheelchair-bound patients, convenience for nursing personnel and accuracy for important medical records. Detecto's sturdy design incorporates a standard eye-level physician scale with a detachable ramp, allowing for easy movement on and off the platform. The scale's beam is easily read from both sides, facilitating a faster weighing operation. The ramp kit (model 3PRAMP) is detachable, allowing for the scale's use as a stand-alone physician scale, or a kit may be attached to existing Detecto physician scales.

MODEL	CAPACITY	SHIPPING WEIGHT	UPC
485	350 lb x 4 oz	66 lb / 30 kg	809161138801
4851	160 kg x 100 kg	Same	809161138900
3PRAMP	Wheelchair ramp	31 lb / 14 kg	809161139006

Platform Size: 27"W x 30"D/69 cm W x 76 cm D

DIS-2 Digital Indicator Stand

Detecto's DIS-2 digital indicator display stand is excellent for physicians' offices or clinics which require convenient weight display viewing and portability at the same time. This mobile stand is constructed of durable steel and is excellent for use with wheelchair scales and step-on portable scales. Just pick it up and move the stand along with your portable scale from location to location. The universal mounting bracket on the DIS-2 allows you to attach the Detecto 750 and 758C weight displays in seconds. To detach, simply unlock the indicator and slide it off the mounting bracket. 44" viewing height.

MODEL	DIMENSIONS (with indicator attached)	SHIPPING WEIGHT	UPC
DIS-2	23" W x 20" D x 45.5" H / 59 cm W x 51 cm D x 116 cm H	13 lb / 6 kg	809161139105

EMR-READY

6500 Portable Bariatric Wheelchair Scale

With built-in ramps for entering and exiting the scale, the 6500 portable scale is perfect for any wheelchair application. The integral wheels and handles plus battery power make this scale portable and easy to move to from location to location. With the 6500, you may enter the wheelchair weight, so that only the patient weight is displayed. With a capacity of 800 lbs, this scale is excellent for bariatric needs as well.

MODEL	CAPACITY	SHIPPING WEIGHT	UPC
6500	800 lb x 0.2 lb / 300 kg x 0.1 kg	65 lb / 29 kg	809161139204
6800-1045	AC adapter	1 lb / 453 g	809161136203

Platform Size: 30"W x 32" D/76 cm W x 81 cm D (flat portion)

758C *Please see page 8 for additional weight display features.*

The BRW1000's integral handles make it easy to lift and lower into position. Built-in wheels permit the scale to be rolled anywhere.

EMR-READY

40" extra-wide platform

BRW1000 Portable Bariatric Wheelchair Scale

Accomodating new extra-wide wheelchairs, Detecto's BRW1000 provides everything required for weighing bariatric patients. For extended patient comfort, the BRW1000 can store the weight of the chair, allowing clinical staff to simply roll the patient on the scale for quick and easy weighing. Detecto's BRW1000 provides comfort for the patient and saves valuable time in busy healthcare facilities. Heavy-duty construction, large rubber deck safety plate platform with integral ramp, and the 1,000 lb capacity makes this the perfect scale for weighing patients in manual or power wheelchairs, dialysis patients, or walk-ons. The BRW100 features EMR-ready serial connectivity and BMI calculation. The BRW1000 is light in weight and heavy in capacity!

MODEL	CAPACITY	SHIPPING WEIGHT	UPC
BRW1000	1,000 lb x 0.5 lb / 450 kg x 0.2 kg	75 lb / 34 kg	809161139303
6800-1045	AC adapter	1 lb / 453 g	809161136203

Platform Size: 40"W x 30" D/102 cm W x 76 cm D

758C *Please see page 8 for additional weight display features.*

3 EU CLASS APPROVED AVAILABLE

6550 Folding Portable Wheelchair Scale

EMR-READY

This sturdy, but lightweight, scale can be used with wheelchairs, straight-legged chairs or as a stand-on scale, and its sloped ramps offer versatility by allowing loading from either side. The 6550's vertical fold-up feature, battery power, and heavy-duty wheels contribute to its ease of mobility and lack of needed storage space. With the 6550, tare weight may be either preset or keyed in directly and the patient's weight is automatically displayed.

MODEL	CAPACITY	SHIP WEIGHT	UPC
6550	800 lb x 0.2 lb / 360 kg x 0.1 kg	91 lb / 41 kg	809161139402
6800-1045	AC adapter	1 lb / 453 g	809161136203

Platform Size: 30"W x 32"D/76 cm W x 81 cm D (flat portion)

3 EU CLASS APPROVED AVAILABLE

758C *Please see page 8 for additional weight display features.*

Health Care's MOST VERSATILE Multi-Tasking Scale

4-WAY EASY TRANSPORT
With Dual Direction Wheels

The 6550's vertical fold-up design requires minimal floor space and allows easy transportation. The column folds down and latches securely into position, ready for transport in four directions.

WEIGHING USE:

The 6550 offers a wide range of versatility and weighing positions.

The beauty of Detecto's sturdy but light-weight model 6550 lies in its versatility and ease of use. It can be utilized in multiple de-partments and in various ways. The scale's digital weight indicator is the industry's most advanced, featuring serial output to a printer or PC, battery or AC power, BMI calculation, yellow "quick keys" for basic weighing, and a bright, crisp LCD display.

WHEELCHAIR SCALES

The perfect scale for weighing patients in manual or power wheelchairs, dialysis patients, or walk-ons. The lightweight Roll-A-Weigh features built-in wheels for easy portability.

"Roll-A-Weigh" Wheelchair Scale

Featuring built-in handles, wheelstop, and wheels, the "Roll-A-Weigh" can be moved wherever you need it. Whether it's multiple weighing locations at a single facility or a stationary location, the "Roll-A-Weigh" gives you portability and ease of use. The "Roll-A-Weigh" features a weight display which can be mounted on the scale, or remotely on a wall or desk for convenient viewing. Overall dimensions: 32.5"W x 42.5"D x 3.5"H/83 cm W x 108 cm D x 9 cm H.

MODEL	CAPACITY	SHIPPING WEIGHT	UPC
CR-500D	500 lb x 0.2 lb / 225 kg x 0.1 kg	113 lb / 51 kg	809161139501
CR-1000D	1,000 lb x 0.5 lb / 450 kg x 0.2 kg	Same	809161139600
6800-1045	AC adapter	1 lb / 453 g	809161136203

Platform Size: 30"W x 32.5"D/76 cm W x 83 cm D

758C *Please see page 8 for additional weight display features.*

Geriatric/Bariatric Wheelchair Scale

The battery-operated models FHD-133-II and FHD-144-II scales have a black, nonskid rubber platform and ramp. The large platform accomodates walk-on patients, wheelchairs, or straight-legged chairs. This large capacity scale can be mounted flush with the floor if desired (please consult factory for all pit installations). The remote weight display is suitable for desk or wall mount and comes with 15'/4.5 m of cable. A 28.5"/72 cm ramp is included.

MODEL	CAPACITY	SHIPPING WEIGHT	UPC
FHD-133-II	1,000 lb x 0.2 lb / 450 kg x 0.1 kg	315 lb / 143 kg	809161139709
FHD-144-II	Same	460 lb / 209 kg	809161139808
6800-1045	AC adapter	1 lb / 453 g	809161136203

Platform Size: 133-II - 36"/91 cm square 144-II - 48"/122 cm square

758C *Please see page 8 for additional weight display features.*

IN-FLOOR SCALES

For Wheelchair, Chair, Stretcher, and Stand-on Weighing.



Scale is recessed into the floor for easy-access, multi-purpose weighing. Detecto model FH-144-II/CH shown with handrail and model 204FWMP digital weight indicator/printer combo.

DETECTO'S IN-FLOOR SCALES ARE ALSO EXCEPTIONAL FOR DIALYSIS PATIENT MONITORING. The platform is level with the floor for easy access, so it also works well for multi-purpose weighing. The patient simply walks or is wheeled onto the platform and is weighed. Stretchers and beds fit easily onto the 6-foot long model with no need for dual scale systems. The weight is displayed on a recessed or wall-mounted digital readout. The digital indicator is AC powered for continual use and gives you a choice of pound or kilogram weight readings. Handrail optional.



The 204FWMP digital readout with built-in, paper-tape printer

FEATURES:

- Pit Frame Provided
- Pushbutton Tare, Pounds or Kilograms
- Flush or Wall-Mounted 1" High LCD Readouts
- Smooth Painted Steel Platform
- Extra-Wide Platform to Accomodate Large Wheelchairs, Extra-Wide Dialysis Chairs, Beds, and Ambulatory Stretchers
- Model 204FWM Indicator Included (printer optional)

MODEL	CAPACITY	PLATFORM SIZE	SHIPPING WEIGHT	UPC
FH-133-II/C	1,000 lb x 0.2 lb / 455 kg x 0.1 kg	36″ W x 36″ D	165 lb / 75 kg	809161139907
FH-133-II/CH*	1,000 lb x 0.2 lb / 455 kg x 0.1 kg	36″ W x 36″ D	170 lb / 77 kg	809161140002
FH-143-II/C	1,000 lb x 0.2 lb / 455 kg x 0.1 kg	48″ W x 36″ D	232 lb / 105 kg	809161140101
FH-143-II/CH*	1,000 lb x 0.2 lb / 455 kg x 0.1 kg	48″ W x 36″ D	237 lb / 108 kg	809161140200
FH-144-II/C	1,000 lb x 0.2 lb / 455 kg x 0.1 kg	48″ W x 48″ D	240 lb / 109 kg	809161140309
FH-144-II/CH*	1,000 lb x 0.2 lb / 455 kg x 0.1 kg	48″ W x 48″ D	245 lb / 111 kg	809161140408
FH-164-II/C	1,000 lb x 0.2 lb / 455 kg x 0.1 kg	72″ W x 48″ D	385 lb / 175 kg	809161140507
FH-164-II/CH*	1,000 lb x 0.2 lb / 455 kg x 0.1 kg	72″ W x 48″ D	390 lb / 177 kg	809161140606

***H** suffix = Handrail comes with these designated models.*

DIGITAL BABY SCALES

Digital Baby Scale

Years of experience have gone into creating the latest in accurate, dependable infant scales... Detecto's 6745. Designed to be used with the utmost ease, this scale can weigh even the most active baby. With step-by-step instructions right on the keypad, there's never any question about what to do next. The 6745 has a lock-in weight feature which compensates for typical newborn movement. When weight stabilizes, it is "locked in" and displayed. The infant can be removed and its weight is retained. The 6745 features battery or AC operation and built-in measuring tape. Battery life is 250 continuous hours Alkaline / 80 continuous hours NiCad.

Optional label printer (Model P220 pictured left) provides documentation of baby's weight for transfer to medical record. The 6745 features serial output for use with a PC or printer.



MODEL	CAPACITY	SHIPPING WEIGHT	UPC
6745	30 lb x 0.1 oz / 15 kg x 0.005 kg	25 lb / 11 kg	809161140705
6800-1006	AC Adapter	1 lb / 453 g	809161148008

Tray Size: 28" L x 14" W/71 cm L x 36 cm W
Power Source: 6 "C" cell batteries or universal AC adapter
Display: 6-digit, 7-segment 1.0"/25 mm high transflective LCD

Rolling Baby Scale Cart

Detecto's stainless steel rolling baby scale cart features a lower shelf with three height adjustment levels allowing clinical staff to store patient records and instruments onboard the cart. It features 2.5" (64mm) diameter rubolene wheels with two locking wheels to keep the table in place and a recessed top to keep the scale or other items secure. It easily fits through doorways into patient rooms.

MODEL	DIMENSIONS	SHIPPING WEIGHT	UPC
SPBT-1728	27.75" W x 16.75" D x 33.4" H / 71 cm W x 43 cm D x 85 cm H	43 lb / 20 kg	809161140804

Digital Tot Weigher

Infants readily accept the inclined seating of Detecto's digital tot weigher scale. With a fun, plastic, shell-shaped seat that is easy to clean, pound and kilogram readings, and heavy-duty base and understructure, this battery-powered scale has a lot to offer.

MODEL	CAPACITY	SHIPPING WEIGHT	UPC
8432-CH	44 lb x 0.05 lb / 20 kg x 0.02 kg	33 lb / 15 kg	809161140903
6800-1045	AC Adapter	1 lb / 453 g	809161136203

Dimensions: 20.25" H x 25" W x 22" D/51 cm H x 64 cm W x 56 cm D

750 *Please see page 10 for additional weight display features.*

DIGITAL BABY SCALES

All Detecto Baby Scales are engineered with the active baby in mind and built with the uncompromising quality you expect from Detecto.

Digital Baby Scale

An easy-to-clean polystyrene tray cradles babies securely and comfortably on these dependable scales. A light, attractive scale, the portability is increased by the use of battery power with 6 "AA" size alkaline batteries. The high-contrast LCD display offers auto zero, auto shutoff and pushbutton tare.

MODEL	CAPACITY	SHIPPING WEIGHT	UPC
8435	130 lb x 0.1 lb / 59 kg x 0.05 kg	33 lb / 15 kg	809161141009
8435KG	59 kg x 0.05 kg	33 lb / 15 kg	809161141108
6800-1045	AC Adapter	1 lb / 453 g	809161136203

Tray Size: 22" L x 14.75" W x 4.5" D/56 cm L x 37 cm W x 11 cm D

750 *Please see page 10 for additional weight display features.*

Optional black carrying case

Digital Baby and Toddler Scale

Detecto's 8440 digital baby and toddler scale provides accurate, safe weighing of infants and features selectable weight units, lb-oz or kilograms, display hold, time and date clock function, and a memory function. Compact, battery-powered and portable, the 8440 is perfect for visiting nurses, home or wherever space is limited. Remove the tray for double use as a toddler scale.

MODEL	CAPACITY	SHIPPING WEIGHT	UPC
8440	44 lb x 0.5 oz / 20 kg x 10 g	8 lb / 3.6 kg	809161141207
8440-CASE	Carrying Case	1 lb / 453 g	809161141306
6800-1037	AC Adapter	1 lb / 453 g	809161148107

Tray Size: 20.5" L x 10.75" W/52 cm L x 27 cm W
Platform Size: 9.5" L x 6.5" W/24 cm L x 17 cm W
Power Source: 6V DC (4 AA batteries or optional AC adapter)
Display: 4 3/4 digits LCD 1.0"/25 mm high

Optional black carrying case built to scale size and with a handle protects the scale for easy transport.

Digital Low-Profile Scale

The platform, base and padded carrying handles of this lightweight scale are incorporated into one complete unit making it easy to transport from place to place. Padded side rails and handle covers are slightly contoured ensuring that the baby will be cradled securely while being weighed. Measure the infant's length in inches or centimeters with the built-in measuring tape.

MODEL	CAPACITY	SHIPPING WEIGHT	UPC
8450	44 lb x 0.02 lb / 20 kg x 0.01 kg / 704 oz x 0.5 oz	8 lb / 3.6 kg	809161141405
8450-CASE	Carrying Case	1 lb / 453 g	809161141504
6800-1039	AC Adapter	1 lb / 453 g	809161148206

Dimensions With Handle: 24.5" L x 13.7" W x 2" H/62 cm L x 35 cm W x 5 cm H
Power Source: 9V 100mA DC adapter / 9V battery
Display: 1.0"/25 mm high LCD with 4 1/2 active digits

4 EU CLASS APPROVED AVAILABLE

MECHANICAL BABY SCALES

Mechanical Infant Scales

This sturdy, compact scale incorporates springless balance beam construction. The white metal tray holds infants comfortably, while the beam is easy to read with blue graduations and numerals on white background. Comes in your choice of pounds or kilograms.

MODEL	CAPACITY	UPC
243	20 lb x 2 oz	809161141603
2431	10 kg x 50 g	809161141702
2441	16 kg x 100 g	809161141801

Overall Size: 10.5"H x 21"W x 19"D/27 cm H x 53 cm W x 48 cm D
Tray Size: 2.5"H x 11"W x 19"D/6 cm H x 28 cm W x 48 cm D
Shipping Weight: 21 lb/10 kg

Mechanical Infant Scales

This low-profile beam style scale features sturdy, compact construction with an easy-to-read balance beam and a white epoxy metal tray. Comes in your choice of pounds or kilograms. Perfect for hospitals, pediatrician's offices, clinics, or the home nursery.

MODEL	CAPACITY	UPC
253	41 lb x 0.25 oz	809161142105
2531	20.5 kg x 10 g	809161142204

Overall Size: 6.75"H x 24"W x 13.75"D/17 cm H x 61 cm W x 35 cm D
Tray Size: 2.75"H x 24"W x 11.5"D/7 cm H x 61 cm W x 29 cm D
Shipping Weight: 30 lb/14 kg

Suspended Baby Scale

Waterproof weighing trousers are attached to a heavy-duty zinc-plated 4"/10 cm S-hook providing a comfortable suspended sling seat for weighing babies.

(Model MCS25KGNT shown to the right)

Perfect for doctors and nurses working in remote locations, this baby scale is lightweight and portable. It's designed to withstand rugged conditions and remain accurate through years of continuous service. The 8"/20 cm diameter shatter-proof dial features a white face with black graduations and numerals for high contrast readouts.

MODEL	CAPACITY	UPC
MCS25KGNT	25 kg x 100 g	809161141900
MCS25KGN	No sling seat	809161142006

Shipping Weight: 5 lb/2 kg

Mechanical Tot Weigher

Features an easy-to-read, die cast beam, heavy-duty welded steel construction, and polystyrene tray.

Infants readily accept the inclined seating of Detecto's mechanical tot weigher scales. With a fun, plastic, shell-shaped seat that is easy to clean, pound and kilogram readings, and heavy-duty base and understructure, the 459-CH mechanical beam scale has a lot to offer. The die-cast beam can also be read from either side for added convenience.

MODEL	CAPACITY	UPC
459-CH	40 lb x 0.5 oz / 17.5 kg x 0.01 kg	809161142303

Overall Size: 27"H x 22"W x 21"D/69 cm H x 56 cm W x 53 cm D
Shipping Weight: 38 lb/17 kg

BABY SCALES / LAP SPONGE SCALES

Mechanical Pediatric Scales

Easy-to-clean, washable polystyrene trays cradle babies securely on these dependable, portable scales. With three models, the 450, 451, and 459 give you a choice of pounds or kilograms or both. Light and attractive scales, these models features a heavy-duty, rust-resistant understructure and dual-reading, die-cast beams.

MODEL	CAPACITY	UPC
450	130 lb x 1 oz	809161142402
451	65 kg x 20 g	809161142501
459	40 lb x 0.5 oz / 17.5 kg x 10 g	809161142600

Overall Size: 27"H x 22"W x 21"D/69 cm H x 56 cm W x 53 cm D
Tray Size: 4.5"H x 22"W x 14.75"D/11 cm H x 56 cm W x 37 cm D
Shipping Weight: 33 lb/15 kg

These scales are engineered with the active baby in mind and are built with the uncompromising quality you expect from Detecto.

DETECTO'S UNBEATABLE REPUTATION

Featuring removable stainless steel trays for easy cleaning and the compact size fits in any space.

Digital Lap Sponge / Wet Diaper Scales

Detecto packs a lot of functionality into these compact wet diaper/lap sponge scales, designed to answer your every need in measuring fluid output. Stainless steel construction makes the removable tray a snap to clean - a major consideration in the nursery where repeated use is the rule. Time is also precious around newborns, and this scale helps you make the most of it with an instantaneous display of 0.5"/13mm high readouts. Handy pushbutton tare simplifies weight determinations for adult incontinence and infant diapers. An AC adapter comes with both scales.

MODEL	CAPACITY	SHIPPING WEIGHT	UPC
AP-4KD	4,000 g x 1 g	5 lb / 2.3 kg	809161142709

Display: 4 digit, 0.5"/13 mm high red LED
Overall Size: 2.75"H x 7.5"W x 7"D/7 cm H x 19 cm W x 18 cm D
Tray Size: 2"H x 9"W x 6"D/5 cm H x 23 cm W x 15 cm D
Construction: Stainless steel scale with stainless steel tray

MODEL	CAPACITY	SHIPPING WEIGHT	UPC
PS5A-2KD	70 oz x 0.1 oz / 1,998 g x 2 g	5 lb / 2.3 kg	809161142808

Display: 4 digit, 0.5"/13 mm high LCD
Overall Size: 2.75"H x 7.5"W x 7"D/7 cm H x 19 cm W x 18 cm D
Tray Size: 2"H x 9"W x 6"D/5 cm H x 23 cm W x 15 cm D
Construction: Scale is metal with baked enamel finish and stainless steel tray

HANGING SCALES

Model PL400

Digital Patient Lift Scales

This scale determines the weight of a person suspended from a portable patient lift and runs on one nine-volt battery. It incorporates a lock weight feature which stores the last weight reading when the unit is turned off.

MODEL	CAPACITY	SHIPPING WEIGHT	UPC
PL400	400 lb x 0.2 lb / 180 kg x 0.1 kg	4 lb / 2 kg	809161142907
PL600	600 lb x 0.2 lb / 270 kg x 0.1 kg	Same	809161143003

Display: 0.75″/19 mm high-contrast LCD
Size: 4.125″W x 2.125″D x 4″H/105 mm W x 54 mm D x 102 mm H (center of eye to center of eye; 5″/127 mm overall)



Model PL-HLKIT

Model PL-ICKIT

Patient Lift Kit Adapters

Detecto also provides kit adapters for other manufacturers' patient lifts.

MODEL	DESCRIPTION	SHIP WEIGHT	UPC
PL-HLKIT	Connecting link kit connects the Hoyer® yoke to Detecto's PL400 or PL600 indicator. Includes 2 stainless steel links, 2 stainless steel spacers, 2 stainless steel shoulder bolts, and 2 elastic stop nuts.	2 lb / 1 kg	809161143102
PL-ICKIT	Connecting link kit connects the In-vacare® models RPA600-1, RPL450, or 9805 patient lifts to Detecto's PL400 or PL600 indicator. Includes 2 stainless steel links, 1 stainless steel PL/lift adapter, 4 stainless steel shoulder bolts, 4 elastic stop nuts, and 6 stainless steel spacers.	2 lb / 1 kg	809161143201

The 11S400H general utility scale can work for multiple purposes and bulk weighings. It will weigh large or small quantities with speed and accuracy.

Mechanical Patient Lift Scale

Designed to be installed between the boom and sling of a patient lift, this ruggedly-built general utility scale features an extra large, 7″/18 cm diameter, single revolution, aluminum dial with black lettering and cast iron housing.

MODEL	CAPACITY	SHIPPING WEIGHT	UPC
11S400H	400 lb x 1 lb	12 lb / 5 kg	809161109603

Height: 24.75″/63 cm

Stainless Steel Autopsy Scale

The extra-large, recessed 14.5″ (37cm) double dial is easily readable from both sides and is lithographed on metal with chrome-pated sashes and stainess steel bands. Stainless steel housing and a stainless steel commodity pan enhance the clean, attractive appearance.

MODEL	CAPACITY	SHIPPING WEIGHT	UPC
T3530A	32 lb - 10 lb x 1 oz	33 lb / 15 kg	809161143300

Revolutions: 3.2
Pan: 15″ (38cm) round stainless steel

NTEP LEGAL FOR TRADE

Cert. No. 88-110

Digital In-Bed Scale

Designed for fast, accurate weighing, the IB400 scale features a flame-retardant, antibacterial, self-deodorizing stretcher which is placed under the patient and hydraulically lifted inches from the bed. The tare function lets you easily subtract the weight of bedding. One nurse can quickly gather data from an entire floor, without wasted motion or patient discomfort! Safety features include locking casters and a lockable base widening stance for stability. Battery operation increases the portability of these in-bed scales.

Under Bed Clearance: 4.8"/12 cm high
Dimensions: 53" H x 50" L x 25.25" W/1.3 m H x 1.2 m L x 64 cm W
Stretcher: 6'/1.8m long, Thermoplastic Sure-Chek® fabric
Adjustable Weighing Arm: 25.75" to 72.25" / 64 cm to 1.9 m high

750 *Please see page 10 for additional weight display features.*

MODEL	CAPACITY / DESCRIPTION	SHIPPING WEIGHT	UPC
IB400	400 lb x 0.1 lb / 180 kg x 0.1 kg	290 lb / 132 kg	809161143409
0046-C065-08	4' / 1.2 m pediatric stretcher - Sure-Chek® 20 fabric	4 lb / 1.8 kg	809161143508
0046-C007-08	6' / 1.8 m adult stretcher - Sure-Chek® 20 fabric	4 lb / 1.8 kg	809161143607
6800-1045	AC Adapter	1 lb / 453 g	809161136203

Heavy-Capacity In-Bed Scale

The IB600 in-bed scale lets you easily weigh patients who are confined to their bed and is ideal for intensive care, surgical recovery and geriatric units. Heavy-duty, yet transportable, these self-contained scales easily maneuver under beds and have a stretcher holder, hydraulic lift and six foot stretcher made of flame retardant, antibacterial, self-deodorizing Thermoplastic Sure-Chek® fabric. The sturdy hoop assembly support patients securely and weight can be taken even if the patient is not perfectly centered on the stretcher.

Under Bed Clearance: 4.8"/12 cm high
Dimensions: 60" H x 65.9" L x 31.5" W/152 cm H x 167 cm L x 80 cm W
Stretcher: 6'/1.8m long, Thermoplastic Sure-Chek® fabric
Adjustable Weighing Arm: 25.75" to 72.25" / 64 cm to 1.9 m high

750 *Please see page 10 for additional weight display features.*

MODEL	CAPACITY / DESCRIPTION	SHIPPING WEIGHT	UPC
IB600	600 lb x 0.2 lb / 272 kg x 0.1 kg	390 lb / 177 kg	809161143706
0046-C247-08	6' / 1.8 m adult stretcher - Sure-Chek® 44XL fabric	4 lb / 1.8 kg	809161143805
6800-1045	AC Adapter	1 lb / 453 g	809161136203

PORTABLE FLOOR SCALES



Model DR400C

Model DR550C

Digital Visiting Nurse Scale

Detecto's economical DR400C, with mild steel platform, and DR550C, with stainless steel platform, scales are lightweight and portable, making them perfect for mobile clinics and home care nurses. The units have slip-resistant mats to ensure patient safety when weighing.

MODEL	CAPACITY	UPC
DR400C (mild steel)	400 lb x 0.5 lb / 181 kg x 0.2 kg	809161143904
DR550C (stainless steel)	550 lb x 0.2 lb / 250 kg x 0.1 kg	809161144000
DR400C-CASE	carrying case	809161137200

Display: 4-digit, 7-segment, 1"/25mm high LCD
Power: 6 "AA" alkaline batteries or 115 volt AC adapter (included)
Platform Size: 12.2"W x 11.8"D x 1.97"H/31 cm W x 30 cm D x 5 cm H
Shipping Weight: 13 lb/6 kg

Chiropractor Package - Bilateral Weight Scales

Detecto's MD250PKG Special Chiropractor Package comes with two model MD250 250 lb capacity scales and a 40"/1 m lock/release rod, giving you everything you need for efficient and portable bilateral weighing. The kit is perfect for chiropractor's offices to check if a patient's weight is evenly distributed.

MODEL	CAPACITY	UPC
MD250PKG	250 lb x 1 lb per scale	809161144109

Platform Size: 13"W x 10.5"D/33 cm W x 27 cm D
Shipping Weight: 21 lb/10 kg

Personal Floor Scales

ProHealth

The precision movement of this sturdy low-profile scale with circular display guarantees exact results and the design with a lot of white and chrome gives the scale a fresh, timeless look. The powder-coated steel casing is built to last a lifetime. The spacious tread area on the 10.6"W x 10.6" D (269 mm W x 269 mm D) weighing platform is covered in easy-to-clean, black synthetic material for fast wipe-downs. The modern, elegant scale design makes a positive impression in any room.

MODEL	CAPACITY	SHIP WEIGHT	UPC
D350	350 lb x 1 lb / 160 kg x 1 kg	17 lb / 8 kg	809161144208
D350K	160 kg x 1 kg	Same	809161144307

Dimensions: 13.25"W x 20.25"D x 4.5"H/34 cm W x 51 cm D x 11 cm H

Personal Floor Scales

ProHealth

A low profile design, heavy-duty construction and a non-skid vinyl mat are just a few features of the D1130 and D1130K scales - proven performers for budget-minded customers. They feature a white, baked-enamel finish and personal colorful indicators to mark one person's or a whole family's weights. The 7-inch (178 mm) diameter dial allows for easy readability even for tall people.

MODEL	CAPACITY	SHIP WEIGHT	UPC
D1130	300 lb x 1 lb	9 lb / 4 kg	809161144406
D1130K	140 kg x 500 g	Same	809161144505

Dimensions: 12"W x 16.75"D x 2.5"H/31 cm W x 43 cm D x 6 cm H

Digital Handgrip Dynamometers

Detecto's model DHS digital handgrip dynamometers provide rehabilitation exercise solutions for patients and physicians. The DHS allows medical professionals to evaluate the recovery condition of a patient's impaired hand. The data may be used for reference to view rehabilitation progress. The soft, padded handgrip and poly enclosure provide a comfortable material for patient usage.

Everything needed for hand evaluation is included in one convenient package: DHS handgrip dynamometer, instruction manual, and battery. Comes in convenient shockproof carrying/storage case with individual storage compartments for each item (shown to the right).

MODEL	CAPACITY	UPC
DHS-88	88 lb x 0.2 lb / 40 kg x 0.1 kg	809161147803
DHS-176	176 lb x 0.2 lb / 80 kg x 0.1 kg	809161147902

Dimensions (including handles): 2.165"W x 3.976"D x 8.346"H
55 mm W x 101 mm D x 212 mm H
Battery: CR-2450 (1 included)
Display: 0.5"/13mm high 4-digit LCD
Shipping Weight: 2 lb/1 kg

Mild Steel Glove Box Holders

Detecto's model GH Glove Box Holders are available in three different sizes. Fit one glove box in the small GH1, two boxes side by side in the GH2, and three boxes side by side in the GH3. The all-steel construction with white powder coat finish carries a Detecto lifetime guarantee. The units install in seconds via screwholes and the GH1 also features a snap-on clip in back. The open design allows you to see what size or type of glove is being dispensed.

MODEL	DIMENSIONS	UPC
GH1 Holds 1 Box	10.5" H x 6.5" W x 4.25" D / 27 cm H x 17 cm W x 11 cm D	809161144901
GH2 Holds 2 Boxes	10" H x 12" W x 4" D / 25 cm H x 30 cm W x 10 cm D	809161145007
GH3 Holds 3 Boxes	10" H x 18" W x 4" D / 25 cm H x 46 cm W x 10 cm D	809161145106

Stainless Steel Glove Box Holders

Detecto's GHSS Stainless Steel Glove Box Holders are designed for holding latex glove boxes or tissues. Fit one glove box in the small GH1, two boxes side by side in the GH2, and three boxes side by side in the GH3. The all-stainless steel construction carries a Detecto lifetime guarantee. The units install in seconds via screwholes and the GH1 also features a snap-on clip in back. The open design allows you to see what size or type of glove is being dispensed.

MODEL	DIMENSIONS	UPC
GH1SS Holds 1 Box	10.5" H x 6.5" W x 4.25" D / 27 cm H x 17 cm W x 11 cm D	809161144604
GH2SS Holds 2 Boxes	10" H x 12" W x 4" D / 25 cm H x 30 cm W x 10 cm D	809161144703
GH3SS Holds 3 Boxes	10" H x 18" W x 4" D / 25 cm H x 46 cm W x 10 cm D	809161144802

WASTE RECEPTACLES

Easy to Clean and Featuring Unitized Construction



Featuring a self-closing lid which also lifts off easily to remove the disposable bag

• FREE Bio-Hazard and Infectious Waste Adhesive Labels (Meets OSHA Labeling Requirements)
• Bag Securing Mechanism on Wall Mount Hanging Models

Lift bail mechanism and drop in bag.

Fold top of bag over edges of bail to secure.

Press bail mechanism back into place.

CLEAN UP IS EASY
Not only do the stainless steel and epoxy polyester finishes on Detecto's waste receptacles allow for quick, wipe-down cleaning, the H models can be permanently positioned just off the ground for easy sweeping and mopping underneath and keeping debris from collecting around the base. Mounting brackets come with all the H models. To remove them from the wall, simply slide them up and out of their groove.

Self-Closing Lids on Wall Mount Hanging Models

Model H-60S *Model H-90*

Wall Mount Hanging Waste Receptacles

MODEL	CAPACITY	DIMENSIONS	UPC
H-60S Stainless Steel	60 quart (15 gallon)	33" H x 18.25" W x 7" D / 84 cm H x 46 cm W x 17 cm D	809161145205
H-60 White Epoxy	60 quart (15 gallon)	33" H x 18.25" W x 7" D / 84 cm H x 46 cm W x 17 cm D	809161145304
H-90S Stainless Steel	90 quart (22.5 gallon)	37.25" H x 18" W x 9.25" D / 95 cm H x 46 cm W x 23 cm D	809161145403
H-90 White Epoxy	90 quart (22.5 gallon)	37.25" H x 18" W x 9.25" D / 95 cm H x 46 cm W x 23 cm D	809161145502

Shipping Weights: H-60/H-60S - 22.5 lb / 10 kg
H-90/H-90S - 29.25 lb / 13 kg

Hemmed edges for safety



Model SWC-48 *Model SWC-64* *Model SWC-32*

Standard Stainless Steel Waste Receptacles

MODEL	CAPACITY	DIMENSIONS	UPC
SWC-32 Stainless Steel	32 quart (8 gallon)	20.75" H x 10" W x 10" D / 53 cm H x 25 cm W x 25 cm D	809161145601
SWC-48 Stainless Steel	48 quart (12 gallon)	23.25" H x 11.5" W x 11.5" D / 59 cm H x 29 cm W x 29 cm D	809161145700
SWC-64 Stainless Steel	64 quart (16 gallon)	24" H x 17" W x 10" D / 61 cm H x 43 cm W x 24 cm D	809161145809

Shipping Weights: SWC-32 - 11 lb / 5 kg
SWC-48 - 13 lb / 5.9 kg
SWC-64 - 16 lb / 7.3 kg

STEP-ON CANS

Detecto Step-On Can Waste Receptacles
Named for their rugged toughness, Detecto Step-On Cans are perfect for hospitals, doctors' offices, patients' rooms, and laboratory settings. They come in a variety of five different sizes and capacities and two different materials listed below. The cans are flame retardant, have a self-closing lid for sanitation, epoxy polyester or stainless steel finish for easy cleaning, and full width hinges and unitized construction for long-term use. Detecto also includes free bio-hazard and infectious waste adhesive labels to meet OSHA labelling requirements.

Model P-24

Model P-24R

Model C-24

Baked Epoxy Steel Step-On Cans

MODEL	CAPACITY	DIMENSIONS	SHIPPING WEIGHT	UPC
P-16 *(white)*	16 quart (4 gallon)	13" H x 11.33" W x 12.625" D / 33 cm H x 29 cm W x 32 cm D	12 lb / 5 kg	809161117608
P-24 *(white)*	24 quart (6 gallon)	16" H x 11.33" W x 12.625" D / 41 cm H x 29 cm W x 32 cm D	14 lb / 6 kg	809161117707
P-32 *(white)*	32 quart (8 gallon)	21" H x 11.33" W x 12.625" D / 53 cm H x 29 cm W x 32 cm D	16 lb / 7 kg	809161117806
P-48 *(white)*	48 quart (12 gallon)	23.5" H x 13.188" W x 14 " D / 60 cm H x 33 cm W x 36 cm D	20 lb / 9 kg	809161117905
P-100 *(white)*	100 quart (25 gallon)	27.5" H x 16.813" W x 17.625" D / 70 cm H x 43 cm W x 45 cm D	31 lb / 14 kg	809161118001
P-16R *(red)*	16 quart (4 gallon)	13" H x 11.33" W x 12.625" D / 33 cm H x 29 cm W x 32 cm D	12 lb / 5 kg	809161125900
P-24R *(red)*	24 quart (6 gallon)	16" H x 11.33" W x 12.625" D / 41 cm H x 29 cm W x 32 cm D	14 lb / 6 kg	809161126006
P-32R *(red)*	32 quart (8 gallon)	21" H x 11.33" W x 12.625" D / 53 cm H x 29 cm W x 32 cm D	16 lb / 7 kg	809161126105
P-48R *(red)*	48 quart (12 gallon)	23.5" H x 13.188" W x 14 " D / 60 cm H x 33 cm W x 36 cm D	20 lb / 9 kg	809161126204
P-100R *(red)*	100 quart (25 gallon)	27.5" H x 16.813" W x 17.625" D / 70 cm H x 43 cm W x 45 cm D	31 lb / 14 kg	809161126303

Stainless Steel Step-On Cans

MODEL	CAPACITY	DIMENSIONS	SHIPPING WEIGHT	UPC
C-16	16 quart (4 gallon)	13" H x 11.33" W x 12.625" D / 33 cm H x 29 cm W x 32 cm D	12 lb / 5 kg	809161118209
C-24	24 quart (6 gallon)	16" H x 11.33" W x 12.625" D / 41 cm H x 29 cm W x 32 cm D	14 lb / 6 kg	809161118308
C-32	32 quart (8 gallon)	21" H x 11.33" W x 12.625" D / 53 cm H x 29 cm W x 32 cm D	16 lb / 7 kg	809161118407
C-48	48 quart (12 gallon)	23.5" H x 13.188" W x 14 " D / 60 cm H x 33 cm W x 36 cm D	20 lb / 9 kg	809161118506
C-100	100 quart (25 gallon)	27.5" H x 16.813" W x 17.625" D / 70 cm H x 43 cm W x 45 cm D	31 lb / 14 kg	809161118605

Plastic Liners

Easy to clean plastic liners are ideal for use where disposable bags are not desired. (Model PL-32 Pictured)

MODEL	CAPACITY	SHIPPING WEIGHT	UPC
PL-16	16 quart (4 gallon)	2.75 lb / 1.2 kg	809161118704
PL-24	24 quart (6 gallon)	3.5 lb / 1.6 kg	809161118803
PL-32	32 quart (8 gallon)	4.5 lb / 2 kg	809161118902

MECHANICAL DIETARY SCALES

Model PT-5R

Model PT-500RK

Petite Top-Loading Portion Scales

NSF Certified

Some popular PT models are NSF certified.

Whatever your need in a top-loading dial scale, Detecto has a model to handle the job. The PT Series comes in a variety of capacities listed below. Sturdy construction, stability, convenient viewing angle, temperature compensation for dependable accuracy in environments with fluctuating temperatures and easy readability make these the petite top loaders of choice.

MODEL	CAPACITY	DIAL	FINISH	UPC
PT-1	16 oz x 0.25 oz	Fixed	Enamel	809161104608
PT-2	32 oz x 0.25 oz	Fixed	Enamel	809161104707
PT-2R (NSF)	32 oz x 0.25 oz	Rotating	Enamel	809161105001
PT-2-SR	32 oz x 0.25 oz	Rotating	Stainless steel	809161105100
PT-500RK	500 g x 2 g	Rotating	Enamel	809161105407
PT-500SRK	500 g x 2 g	Rotating	Stainless steel	509161105506
PT-5R (NSF)	5 lb x 0.5 oz	Rotating	Enamel	809161105209
PT-25R (NSF)	25 lb x 0.125 lb	Rotating	Enamel	809161105308

Model PT-25R

Overall Size: 6.125"W x 7.25"D x 7.25"H/16 cm W x 18 cm D x 18 cm H
Dial Size: 6"/15 cm diameter
Platform: 5.75" (15 cm) square stainless steel. PT-25R: 7.9"W x 5.9"D/20 cm W x 15 cm D
Shipping Weight: 5 lb/2 kg

Dual-Reading Lbs/Kgs Top Loading Portion Scales

This dual-reading top loader series comes in a variety of capacities listed below which show simulataneous readings of pounds and kilograms. An easy-to-clean enamel finish, sturdy construction, stability, convenient viewing angle, and easy readability make these attractive top loaders an ideal choice for your weighing needs.

MODEL	CAPACITY	DIAL	FINISH	UPC
T1KP	2.2 lb x 0.25 oz / 1 kg x 5 g	Fixed	Enamel	809161121308
T2KP	4.3 lb x 0.5 oz / 2 kg x 10 g	Fixed	Enamel	809161108705

Model T1KP

Add letter "D" to model for optional air dashpot
Overall Size: 10.5"H x 8.5"W x 10.25"D/27 cm H x 22 cm W x 26 cm D
Dial: 8"/20 cm diameter fixed
Platform: 9"/23 cm square stainless steel
Shipping Weight: 10 lb/4.5 kg

Additional Capacities Available

Digital Portion Control Scales

AC or battery power

NSF Certified

MODEL	CAPACITY	SHIPPING WEIGHT	UPC
PS-4	4 lb x 0.1 oz / 2,000 g x 1 g	4 lb / 1.8 kg	809161145908

Display: 0.8"/20 mm high LCD
Overall Size: 1.5" H x 5.9" W x 6.7" D/4 cm H x 15 cm W x 17 cm D
Platform Size: 5.9" W x 4.75" D/15 cm W x 12 cm D

AC or battery power

MODEL	CAPACITY	SHIPPING WEIGHT	UPC
PS-5A	70 oz x 0.1 oz / 1,998 g x 2 g	4 lb / 1.8 kg	809161101102

Display: 0.5"/13 mm high LCD
Overall Size: 2.75" H x 7" W x 7" D/7 cm H x 18 cm W x 18 cm D
Platform Size: 6.75" W x 5.25" D/17 cm W x 13 cm D

AC or battery power

MODEL	CAPACITY	SHIPPING WEIGHT	UPC
PS-6A	70 oz x 0.25 oz	4 lb / 1.8 kg	809161101300

Display: 0.5"/13 mm high LCD
Overall Size: 2.75" H x 7" W x 7" D/7 cm H x 18 cm W x 18 cm D
Platform Size: 6.75" W x 5.25" D/17 cm W x 13 cm D

AC or battery power

NSF Certified

MODEL	CAPACITY	SHIPPING WEIGHT	UPC
PS-7	7 lb x 0.1 oz / 112 oz x 0.1 oz / 112 oz x 1/8 oz / 3000 g x 1 g / 7 lb x 0.005 lb	4 lb / 1.8 kg	809161146004

Features the ability to disable different units of measure.

Display: 5-digit, 0.8" x 0.3" characters with fractions LCD
Overall Size: 2.44" H x 8.03" W x 7.87" D / 6 cm H x 20 cm W x 20 cm D
Platform Size: 8.02" W x 4.96" D / 20 cm W x 13 cm D

AC power or built-in rechargeable battery

NSF Certified

Stainless Steel The Value Option

MODEL	CAPACITY	SHIPPING WEIGHT	UPC
PS-11	11 lb x 0.1 oz / 176 oz x 0.1 oz / 176 oz x 1/4 oz / 5000 g x 2 g / 11 lb x 0.005 lb	6 lb / 2.7 kg	809161146103

Features the ability to disable different units of measure.

Display: 5-digit, 0.8" x 0.3" characters with fractions LCD
Overall Size: 2.3" H x 7.25" W x 9.5" D / 6 cm H x 18 cm W x 24 cm D
Platform Size: 6.89" W x 6.5" D / 18 cm W x 17 cm D

MEASUREMENT CANADA

Notice of Approval AM-4539 Rev. 2

LEGAL FOR TRADE

Cert. No. 95-087A1

AC power

Optional Commodity Scoop - Model 285R31

MODEL	CAPACITY	SHIPPING WEIGHT	UPC
AP-6	99.95 oz x 0.05 oz	5 lb / 2.3 kg	809161101904
AP-8	7.998 lb x 0.002 lb	5 lb / 2.3 kg	809161102000
AP-10	9.995 lb x 0.005 lb	5 lb / 2.3 kg	809161102109
AP-20	19.99 lb x 0.01 lb	5 lb / 2.3 kg	809161102208
AP-4K	3999 g x 1 g	5 lb / 2.3 kg	809161101805

Display: 0.5"/13 mm high LED
Overall Size: 2.75" H x 7.5" W x 7" D/7 cm H x 19 cm W x 18 cm D
Platform Size: 6.75" W x 5.25" D/17 cm W x 13 cm D

VETERINARY SCALES

Medium Capacity Digital Vet Scale

This portable, compact-sized scale with a remote weight display is the ideal scale for small animals. Its scale base can be positioned up to 8 feet away from the display. The scale's medium base size allows it to be used on the floor or tabletop and its light weight makes it ultra portable. The VET50 comes with the rubber mat pictured to the right.

Dimensions: 3"H x 14"W x 12"D / 8 cm H 36 cm W x 30 cm D

750 *Please see page 10 for additional weight display features.*

MODEL VET50

3 EU CLASS APPROVED AVAILABLE

MODEL	CAPACITY / DESCRIPTION	SHIPPING WEIGHT	UPC
VET50	50 lb x 0.02 lb / 20 kg x 0.01 kg	15 lb / 7 kg	809161146202
6800-1045	AC Adapter	1 lb / 453 g	809161136203

MODEL VET330WH

Digital Vet Scale with Wheels and Handle

This economical, portable scale with a remote weight display is the ideal scale for medium to large size animals. The VET330WH features rechargeable battery power and comes with an AC adapter. The scale's light weight combined with wheels and carrying handle make it ultra portable to allow the weighing to come to the patient.

Dimensions: 36"W x 22"D / 91 cm W x 56 cm L

MODEL	CAPACITY	SHIPPING WEIGHT	UPC
VET330WH	330 lb x 0.2 lb / 150 kg x 0.1 kg	50 lb / 23 kg	809161146301

High Capacity Digital Vet Scale

The VET400 is the perfect scale for anyone handling medium to large size animals. The large, low-profile platform makes it easy for animals to step onto the floor scale without any hesitancy, and an optional rubber mat is also available. The removable stainless steel platform makes cleanup fast and easy. Its scale base can be positioned up to 8'/2.5m away from the display due to the coiled cable. The indicator features an adjustable mounting bracket for either desk or wall mount convenience. The Lock/Release feature retains the displayed weight after the animal is removed.

Dimensions: 1.75"H x 42"W x 22"D / 44 cm H x 107 cm W x 56 cm D

750 *Please see page 10 for additional weight display features.*

MODEL VET400

3 EU CLASS APPROVED AVAILABLE

MODEL	CAPACITY / DESCRIPTION	SHIPPING WEIGHT	UPC
VET400	400 lb x 0.2 lb / 200 kg x 0.1 kg	76 lb / 34 kg	809161146400
VET-MAT	Rubber Mat	1 lb / 453 g	809161146509
6800-1045	AC Adapter	1 lb / 453 g	809161136203

LAUNDRY SCALES

Laundry scales come in all shapes and sizes depending on your specific application. Whether you are weighing small baskets or large carts, Detecto has a scale to meet your needs. Detecto's selections of scales are well suited for use in homes, hospitals, commercial applications or hotels. Whether you are charging for laundry by weight or just preventing overloading your home or commercial washer/dryer, Detecto has the weighing solution. Weight printing is also vital for commercial applications, and Detecto can provide the best scale for your operation.

In commercial applications, a "legal for trade" scale may be required. "Legal for trade" scales are those that the Department of Weights and Measures has approved to sell a service or product based on the weight displayed by the scale. Additionally, for laundry cart weighing, Detecto has several scales with ramps that make it easy to move the cart on and off the scale.

Model FHD-133-II Laundry Cart Scale Shown with Detecto P220 Label Printer and Model 204 Digital Weight Indicator.

Laundry Scales

Detecto offers a large variety of industrial-strength laundry scales.



SMALL BASKET SCALES

DR150 Digital 150 lb Scale

T200 Mechanical 200 lb Scale

LARGE BASKET SCALES

VET400 Digital 400 lb Scale

48100-36 Mechanical 100 lb Scale

LAUNDRY CART SCALES

6500
Portable 800 lb Scale



FHD-133-II
Stationary 1,000 lb Scale
with Rubberized Mat Ramp

EU-ONLY SCALES



Waist-High Digital Physician Scale - European-Only Models

Detecto's EU522 and EU544 are designed for use in European countries. These high-quality digital physician scales are light, but durable. The scales feature "at-a-glance" convenience of a digital weight display and a slip-resistant base cover. The waist-high model is also available with a 76 cm to 198 cm height rod - model EU522HR.

MODEL	CAPACITY	SCALE HEIGHT	HEIGHT ROD 76 - 198 cm	UPC
EU522	200 kg x 0.1 kg	95 cm		809161146608
EU522HR	200 kg x 0.1 kg	95 cm	•	809161146707
EU544	200 kg x 0.1 kg	9 cm		809161146806

Model EU544

Platform Size: 26 cm x 34 cm
Power Source: 6 "AA" size batteries or optional AC adapter

750

Please see page 10 for additional weight display features.

3
EU CLASS APPROVED AVAILABLE

Model EU522HR

MODEL

0046-C007-08	Page 25	8430S	Page 9	P-24	Page 29
0046-C065-08	Page 25	8432-CH	Page 20	P-24R	Page 29
0046-C247-08	Page 25	8435	Page 21	P-32	Page 29
11S400H	Page 24	8435KG	Page 21	P-32R	Page 29
204	Page 33	8437	Page 9	P-48	Page 29
204FWMP	Page 19	8437S	Page 9	P-48R	Page 29
2371	Page 5	8440	Page 21	PD100	Page 6
2371S	Page 5	8440-CASE	Page 21	PD200	Page 6
2381	Page 5	8450	Page 21	PD300	Page 6
2391	Page 5	8450-CASE	Page 21	PD300DHR	Page 6
2391S	Page 5	AP-6	Page 31	PD300MHR	Page 6
243	Page 22	AP-8	Page 31	PL-16	Page 29
2431	Page 22	AP-10	Page 31	PL-24	Page 29
2441	Page 22	AP-20	Page 31	PL-32	Page 29
2491	Page 5	AP-4K	Page 31	PL400	Page 24
253	Page 22	AP-4KD	Page 23	PL600	Page 24
2531	Page 22	BRW1000	Page 16	PL-HLKIT	Page 24
285R31	Page 31	C-16	Page 29	PL-ICKIT	Page 24
337	Page 5	C-24	Page 29	PS-4	Page 31
337S	Page 5	C-16	Page 29	PS5A-2KD	Page 23
338	Page 5	C-32	Page 29	PS-5A	Page 31
339	Page 5	C-48	Page 29	PS-6A	Page 31
339S	Page 5	C-100	Page 29	PS-7	Page 31
349	Page 5	CR-500D	Page 18	PS-11	Page 31
3PHNDPST	Page 5	CR-1000D	Page 18	PT-1	Page 30
3PHTROD-1	Page 5	D1130	Page 26	PT-2	Page 30
3PHTROD-WM	Page 5,12	D1130KG	Page 26	PT-25R	Page 30
3PRAMP	Page 15	D350	Page 26	PT-2R	Page 30
3PWHL	Page 5	D350K	Page 26	PT-2-SR	Page 30
437	Page 5	DHR	Page 6	PT-500RK	Page 30
437S	Page 5	DHRWM	Page 7	PT-500SRK	Page 30
438	Page 5	DHS-88	Page 27	PT-5R	Page 30
439	Page 5	DHS-176	Page 27	SPBT-1728	Page 20
439S	Page 5	DIS-2	Page 16	SWC-32	Page 28
442	Page5	DR150	Page 33	SWC-48	Page 28
448	Page 5	DR400-750	Page 11	SWC-64	Page 28
449	Page 5	DR400C	Page 26	T1KP	Page 30
450	Page 23	DR400C-CASE	Page 11,26	T200	Page 33
451	Page 23	DR550C	Page 26	T2KP	Page 30
459	Page 23	EU522	Page 34	T3530A	Page 24
459-CH	Page 22	EU522HR	Page 34	VET330WH	Page 32
475	Page 14	EU544	Page 34	VET50	Page 32
4751	Page 14	FH-133-II/C	Page 19	VET400	Page 32,33
48100-36	Page 33	FH-133-II/CH	Page 19	VET-MAT	Page 32
483	Page 5	FH-143-II/C	Page 19	WinDDE	Page 8
485	Page 15	FH-143-II/CH	Page 19		
4851	Page 15	FH-144-II/C	Page 19		
495	Page 15	FH-144-II/CH	Page 19		
4951	Page 15	FH-164-II/C	Page 19		
4PHTROD-3	Page 5	FH-164-II/CH	Page 19		
6027	Page 11	FHD-133-II	Page 18,33		
6027KG	Page 11	FHD-144-II	Page 18		
6029	Page 11	GH1	Page 27		
6029KG	Page 11	GH1SS	Page 27		
6437	Page 9	GH2	Page 27		
6439	Page 9	GH2SS	Page 27		
6449	Page 9	GH3	Page 27		
6475	Page 14	GH3SS	Page 27		
6475K	Page 14	GP-400-750	Page 11		
6495	Page 15	GP-400-758C	Page 9		
6500	Page 16,33	H-60	Page 28		
6550	Page 17	H-60S	Page 28		
6745	Page 20	H-90	Page 28		
6800	Page 12	H-90S	Page 28		
6800-1006	Page 20	IB400	Page 25		
6800-1037	Page 21	IB600	Page 25		
6800-1039	Page 21	MCS25KGN	Page 22		
6800-1045	Page 9	MCS25KGNT	Page 22		
6855	Page 12	MD250PKG	Page 26		
6856	Page 12	MHR	Page 6		
6868	Page 13	P-100	Page 29		
6875	Page 14	P-100R	Page 29		
6876	Page 13	P150	Page 8		
6880	Page 14	P-16	Page 29		
750	Page 10	P-16R	Page 29		
758C	Page 8	P185	Page 8		
8430	Page 9	P220	Page 8,33		

PRODUCT CATEGORY

Acute Care

6439 Eye-Level Physician Scale	Page 9
6550 Portable Wheelchair Scale	Page 17
6745 Baby Scale	Page 20
6856 Bariatric Scale	Page 12
6880 Rolling Chair Scale	Page 14
8450 Baby Scale	Page 21
IB400 In-Bed Scale	Page 25
IB600 In-Bed Scale	Page 25
P-32 Step-On Can	Page 29

Bariatric Care

6500 Portable Wheelchair Scale	Page 16
6550 Portable Wheelchair Scale	Page 17
6855 Bariatric Scale	Page 12
6856 Bariatric Scale	Page 12
6800 Bariatric Scale	Page 12
6868 Bariatric Scale	Page 13
6876 Flip Seat Euro Scale	Page 13
BRW1000 Bariatric Wheelchair Scale	Page 16
CR-1000D Wheelchair Scale	Page 18
FHD-133-II Wheelchair Scale	Page 18
PD300DHR ProDoc™ Digital Scale	Page 6

Home Health Care

8440 Baby Scale	Page 21
D1130 Personal Floor Scale	Page 26
D350 Personal Floor Scale	Page 26
DR400C Floor Scale	Page 26
PD200 ProDoc™ Digital Scale	Page 6

Long-Term Care

6475 Chair Scale	Page 14
6550 Portable Wheelchair Scale	Page 17
6876 Flip Seat Euro Scale	Page 13
BRW1000 Wheelchair Scale	Page 16
CR-1000D Wheelchair Scale	Page 18
IB600 In-Bed Scale	Page 25
FHD-133-II Wheelchair Scale	Page 18
PD300DHR ProDoc™ Digital Scale	Page 6

Physician Care

439 Eye-Level Physician Scale	Page 5
6439 Eye-Level Physician Scale	Page 9
CR-500D Wheelchair Scale	Page 18
DR400-750 Portable Floor Scale	Page 11
H-90S Wall-Mount Waste Receptacle	Page 28
P-24 Step-On Can	Page 29
PD300DHR ProDoc™ Digital Scale	Page 6

Surgical Care

6855 Bariatric Scale	Page 12
6856 Bariatric Scale	Page 12
6868 Bariatric Scale	Page 13
AP-4KD Lap Sponge Scale	Page 23
P-24R Step-On Can	Page 29
PS5-2KD Lap Sponge Scale	Page 23
PT-2R Dial Type Portion Scale	Page 30

Veterinary Care

AP-4KD Digital Scale With Tray	Page 23
C Series Step-On Cans	Page 29
GH Glove Box Holders	Page 27
VET330WH Veterinary Scale	Page 32
VET400 Veterinary Scale	Page 32
VET50 VeterinaryScale	Page 32

EU Class 3 Approved

6550KGEU Portable Wheelchair Scale	Page 17
6855KGEU Bariatric Scale	Page 12
6856KGEU Bariatric Scale	Page 12
6868KGEU Bariatric Scale	Page 13
6875KGEU Premier Chair Scale	Page 14
6876KGEU Flip Seat Scale	Page 13
6800KGEU Portable Bariatric Scale	Page 12
6880KGEU Chair Scale	Page 14
BRW1000KGEU Wheelchair Scale	Page 16
CR-1000DKGEU Wheelchair Scale	Page 18
EU522/EU522HR Waist-High Scale	Page 34
EU544 Low-Profile Digital Scale	Page 34
GP-400-750KGEU Low-Profile Scale	Page 11
GP-400-758CKGEU Low-Profile Scale	Page 9
VET400KGEU VeterinaryScale	Page 32
VET50KGEU VeterinaryScale	Page 32

DETECTO ONLINE

Detecto's entire product line is available for viewing online on our Web site: **www.Detecto.com**. Detecto aims to provide our customers with the most up-to-date and comprehensive product information and resources available anytime on the Web.

Go to **www.Detecto.com** for extensive Detecto product information, brochures, specification sheets, a physician scale model comparison chart, demonstration videos, ISO certification resources, company history, and "legal-for-trade" certifications; in addition to this catalog in PDF format, all just a click away.

OUR MISSION STATEMENT

Detecto is dedicated to the design and manufacture of innovative quality products of exceptional value to a world market. These efforts are monitored and communicated throughout the organization, in order to bring forth continuous improvement and growth for the Detecto family and our customers.

We will...promote an open environment encouraging creativity, team work, and total employee involvement.

We will...maintain a positive commitment to continual quality improvement essential for our customer's satisfaction.

We will...seek mutually beneficial long term relationships with our customers, distributors, suppliers, and community.

We will...adhere to sound business and environmental practices.

We will...strive to attract, develop, fairly reward, and provide secure employment for capable and committed employees.

We will...maintain a fair rate of return on investment to ensure the accomplishment of our mission.

DETECTO®
A Division of Cardinal Scale Manufacturing Co.
203 E. Daugherty, Webb City, MO 64870 USA
Ph: 417-673-4631 or 1-800-641-2008 Fax: 417-673-5001
www.Detecto.com

SOLD BY:

Detecto Scale reserves the right to improve, enhance or modify features and specifications without prior notice. © Copyright 2008 Cardinal Scale Mfg. Co. • Printed in USA • CPS/5K/0608/C-188C